



VMC1580 CNC Vertical Machining Center 3 Axis Metal Milling Lathe Torno

Our Product Introduction

for more products please visit us on lathemach.com

Basic Information

- Place of Origin: Henan, China
- Brand Name: BAISHUN
- Certification: ISO
- Model Number: VMC1160
- Minimum Order Quantity: 1 set
- Price: Negotiation
- Packaging Details: Export standard wooden case or as customers' requirement.
- Delivery Time: 45 work days
- Payment Terms: T/T, L/C, Western Union
- Supply Ability: 50 Set/Sets per Month



Product Specification

- Condition: New
- Spindle Taper: BT40
- No. Of Spindles: Single
- Type: VERTICAL
- Dimension(L*W*H): 2855*2150*2350 Mm
- Weight (T): 6.5 T
- Table Size (mm): 1200*600
- CNC Control System: GSK, FANUC, MITSUBISHI, KND, Siemens
- Number Of Axes: 2
- Table Travel (X) (mm): 1100
- Table Travel (Y) (mm): 600
- Table Travel (Z) (mm): 600
- Positioning Accuracy (mm): ± 0.008
- Repeatability (X/Y/Z) (mm): ± 0.005
- Range Of Spindle: 0 - 10000 R.p.m



More Images



Product Description

Product Description

High Precision 4 Axis CNC Vertical Machining Center VMC1580 with BT40 Direct Spindle

Vertical milling center (VMC) is a type of milling machine that is commonly used in manufacturing industries such as automotive, aerospace, and electronics. It is typically used to produce precision parts with complex shapes, using a computer-controlled tool that rotates and moves along multiple axes.

□

Machine parameters:

Model	VMC550	VMC650	VMC850	VMC1050
Table(mm)	800*350	900*400	1050*500	1050*560
Max.table load(kg)	300	450	600	600
X/Y/Z axis travel(mm)	550*350*500	650*400*500	800*500*600	1000*500*600
Diatance between spindle center and column guide surface(mm)	419	476	560	560
Diatance between spindle face and worktable face(mm)	100-600	100-600	140-740	140-740
X/Y/Z Max.feed speed(mm/min)	10000	10000	10000	10000
X/Y/Z Max.rapid traverse	20/20/15	24/24/20	20/20/15	20/20/15
Max.speed of spindle(r/min)	8000	8000	8000	8000
The spindle taper hole(type)	BT40	BT40	BT40	BT40
Spindle motor(kw)	3.7/5.5	5.5/7.5	7.5/11	7.5/11
X/Y/Z axis servo motor(kw)	1.0/1.0/1.5	1.0/1.0/1.5	1.0/1.0/2.0	1.0/1.0/2.0
X/Y/Z motor connection	Direct connection			
X/Y/Z Guide way type	Linear guide	Two linear one hard guide	Linear guide	Linear guide
Worbench T slot(mm)	3-18*105	3-18*125	5-18*90	5-18*90
Repeat accuracy(mm)	±0.004	±0.004	±0.004	±0.004
Max.tool wight(kg)	7	7	8	8
Max.tool length(mm)	250/300	250/300	250/300	250/300
Electric capacity(kVA)	10	10	11	11
Weight (kg)	3000	4500	5700	6000
Dimension(L*W*H mm)	2100*1950*2200	2300*2200*2400	2700*2400*2700	2920*2400*2700

□

□

□

□

□

□

we can equip all brand CNC controller: FANUC Oi-mf; Siemens808D; Siemens 828; Mitsubishi M80; also Chinese CNC brand like: HNC808; KND2000mf; GSK980T;etc.

□

Chip conveyor are optional:

□

HIWIN from Taiwan China brand are adopted.

□ □

□

Machine parameter

Company Information

Henan Baishun Machinery Equipment Co.,Ltd is a professional manufacturer, which especially work for [Slotting machine](#), [Vertical lathe machine](#), [CNC Vertical lathe machine](#), [CNC Horizontal lathe machine](#), [Roll lathe machine](#), [Gear hobbing machine](#), [Pole erection machine](#), [Shredder machine](#), etc.

We attach great importance to international technical exchanges and cooperation, has introduced advanced technology and craft from United States, Germany, Australia and other countries, establishes the international advanced production lines and first-class modern testing base. *[Welcome all friends visiting and communicating and cooperating!!!](#)*

□□

□

Certifications

□

Packaging & Shipping

□

Related products

□

Our Services

1. 24 Hours after sales service by E-mail or Phone.
2. 100% response rate.
3. Engineers available to service overseas.
4. OEM service is available
5. Warranty: 12 months, beyond the warranty period, all spare parts offered to you with factory price.

Contact us

□



Henan Baishun Machinery Equipment Co., Ltd.



+8618939515188



sale@goodlathe.com



lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China