

High Speed CNC Vertical Machining Center VMC650 Siemens Controller System

Basic Information

Place of Origin: Henan, China
Brand Name: BAISHUN
Certification: ISO
Model Number: VMC1160
Minimum Order Quantity: 1 set
Price: Negotiation

Packaging Details: Export standard wooden case or as

customers' requirement.

• Delivery Time: 45 work days

Payment Terms: T/T, L/C, Western Union
 Supply Ability: 50 Set/Sets per Month



Product Specification

Condition: New
Spindle Taper: BT40
No. Of Spindles: Single
Type: VERTICAL

• Dimension(L*W*H): 2855*2150*2350 Mm

Weight (T): 6.5 TTable Size (mm): 1200*600

CNC Control System: GSK, FANUC, MITSUBISHI, KND, Siemens

Number Of Axes: 2
Table Travel (X) (mm): 1100
Table Travel (Y) (mm): 600
Table Travel (Z) (mm): 600
Positioning Accuracy (mm): ±0.008
Repeatability (X/Y/Z) (mm): ±0.005

• Range Of Spindle 0 - 10000 R.p.m



More Images







Product Description

Product Description

CNC Vertical Machining Center VMC650 Siemens Controller System Metal Turning Lathe

Vertical milling center (VMC) is a type of milling machine that is commonly used in manufacturing industries such as automotive, aerospace, and electronics. It is typically used to produce precision parts with complex shapes, using a computer-controlled tool that rotates and moves along multiple axes.

1. X, Y, Z three-way guide rails are Taiwan's ball linear guides, with high speed, high rigidity, low friction, low noise, low temperature changes and other characteristics, with automatic forced lubrication, improve machine tool accuracy life 2. X, Y, Z three-direction feed adopts high-precision and high-strength inner-ring double-nut preload large lead ball screw with high feed speed; drive motor is directly connected with screw through elastic coupling. The feed servo motor directly transmits the power to the high-precision ball screw without backlash, ensuring the positioning accuracy and synchronization of the machine tool

Machine parametes:

Model	VMC550	VMC650	VMC850	VMC1050
Table(mm)	800*350	900*400	1050*500	1050*560
Max.table load(kg)	300	450	600	600
X/Y/Z axis	550*350*500	650*400*500	800*500*600	1000*500*600
travel(mm)				
Diatance between	419	476	560	560
spindle center and				
column guide				
surface(mm)				
Diatance between	100-600	100-600	140-740	140-740
spindle face and				
worktable				
face(mm)				
X/Y/Z Max.feed	10000	10000	10000	10000
speed(mm/min)				
X/Y/Z Max.rapid	20/20/15	24/24/20	20/20/15	20/20/15
traverse				
Max.speed of	8000	8000	8000	8000
spindle(r/min)				
The spindle taper	BT40	BT40	BT40	BT40
hole(type)	0.7/5.5		7.5/4.4	==///
Spindle motor(kw)	3.7/5.5	5.5/7.5	7.5/11	7.5/11
X/Y/Z axis servo	1.0/1.0/1.5	1.0/1.0/1.5	1.0/1.0/2.0	1.0/1.0/2.0
motor(kw)	D' '			
X/Y/Z motor	Direct connection			
connection	Lineau sociale	I T C	I I to a constant	I I the same and the
X/Y/Z Guide way	Linear guide	Two linear one	Linear guide	Linear guide
type	0.40*405	hard guide	E 40*00	F 40*00
Worbench T	3-18*105	3-18*125	5-18*90	5-18*90
slot(mm)	10.004	10.004	10.004	10.004
Repeat	±0.004	±0.004	±0.004	±0.004
accuracy(mm)	7	7	8	8
Max.tool wight(kg)	·	· ·	~	-
Max.tool	250/300	250/300	250/300	250/300
length(mm) Electric	10	10	11	11
	10	10	11	11
capacity(kVA)	2000	4500	E700	6000
Weight (kg)	3000	4500	5700	6000
Dimension(L*W*H	2100*1950*22 00	2300*2200*24 00	2700*2400*27 00	2920*2400*27 00
mm)	00	100	00	00

Chip conveyor are optional:
HIWIN from Taiwan China brand are adopted.
Machine parameter
Company Information
Henan Baishun Machinery Equipment Co.,Ltd is a professional manufacturer, which especially work forSlotting machine, Vertical lathe machine, CNC Vertical lathe
machine, CNC Horizontal lathe machine, Roll lathe machine, Gear hobbing machine, Pole erection machine, Shredder machine, etc. We attach great importance to international technical exchanges and cooperation, has introduced advanced technology and craft from United States, Germany, Australia
and other countries, establishes the international advanced production lines and first-class modern testing base. Welcome all friends visiting and communicating and cooperating!!!
Certifications
Packaging & Shipping
Related products
Our Services
1. 24 Hours after sales service by E-mail or Phone.
2. 100% response rate.
3. Engineers available to service overseas. 4. OEM service is available
5. Warranty: 12 months, beyond the warranty period, all spare parts offered to you with factory price.
Contact us



Henan Baishun Machinery Equipment Co., Ltd.



+8618939515188





lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China