

Henan Baishun Machinery Equipment Co., Ltd

Henan, China

MACHINERY CE/ISO9001

CK5116

Negotiable

30-35 work days

BAISHUN MACHINERY, BAISHUN

Export standard wooden case package or

Negotiation with customers

L/C, T/T, Western Union

20 Set/Sets per Month

# **Basic Information**

lathemach.com

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 Set
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



## Product Specification

- Max. Length Of Workpiece 1600 (mm):
- Max. Spindle Speed (r.p.m):160 R.p.m
- Machining Capacity: Medium Duty

Single

800 Mm

2

- Spindle Bore(mm): 130
- Width Of Bed (mm): 250 Mm
- Spindle Motor Power(kW): 30
- No. Of Spindles:
- Max. Turned Length (mm): 1600
- Number Of Axes:
- Travel (X Axis)(mm):
- Highlight:

cnc vertical turning lathe machine, vertical alloy wheel lathe, vertical wheel lathe



## More Images









#### Product Description


### CNC Vertical Turning Lathe For Wheel Repair Lathe Machines Metal Processing

China Hot sale Multi-purpose CNC Vertical Turning Lathe is suitable to process ferrous metal, nonferrous metals and partial non-metallic material, and could achieve the processing of turning of the end face, inside and outside cylindrical surface, inside and outside circular conical surface and drilling, expanding, reaming of hole. Main transmission is driven by the spindle AC servo motor, hydraulic gear change and two gears step less speed regulation. Worktable is manual 4-jaw single movement chuck.

CNC Vertical lathe is a kind of large mechanical equipment, which is used to process large and heavy work pieces with large radial size and relatively small axial size and complex shape. Such as a cylindrical surface, an end surface, a conical surface, a cylindrical hole, a conical hole and the like of various discs, wheels and sleeve work pieces, and can also be processed by means of additional devices such as running threads, spherical surface turning, imitating machining, grinding and the like; compared with a horizontal lathe, the work pieces are clamped in the clamping decoration of the horizontal lathe, while the main shaft axis of a vertical lathe is in a vertical layout, and the table surface of a worktable is in a horizontal plane; Therefore, the clamping and alignment of the work piece are more convenient. This arrangement reduces the load on the spindle and bearings, so the vertical lathe can maintain its working accuracy for a long time.

#### Machine parameter

Model	CK518	CK5112Q	CK5112A	CK5116Q	CK5120A	CK5126A
Max. turning diameter of vertical tool rest (mm)	800	1200	1200	1600	2000	2600
Working table diameter (mm)	700	1000	1000	1400	1800	2200
Max. height of work-piece (mm)	800	1000	1000	1200	1250	1400
Max. weight of work-piece (kg)	1500	1500	3200	3200	8000	8000
Range of worktable rotation speed (rpm)	30-260	20-180	6.3-200	15-160	3.2-100	2.2-70
Feeding series	Stepless	Stepless	Stepless	Stepless	Stepless	Stepless
Range of tool rest feed (mm/min)	0.25-90	0.25-90	0.8-86	0.25-90	0.8-86	0.8-86
Cross beam travel (mm)	500	1000	650	1200	890	1090
Horizontal travel of tool rest (mm)	500	700	700	900	1115	1400
Vertical travel of tool rest (mm)	450	500	650	750	800	800
Size of section of cutter bar (mm)	30*40	30*40	30*40	30*40	30*40	30*40
Main motor power (kw)	11	15	22	15	30	30



**Our Services** 

We can provides 7x24-hour online pre-sale service, engineer follow-up order service, and logistics delivery operation service,

And also we can provide installation services. In addition, with more than 10 years experience of various markets, we can help customers successfully complete a series of services from purchasing to goods Customs clearance, thereby saving times and also reducing customers' costs in all aspects.

- Our advantage: 1: With CE, ISO certification.
- 2: Full production tracking.
- 3: Professional engineers can guarantee the highest quality.
- 4: More suppliers as alternatives, guarantee your lowest and competitive price.5: Sales fstaff with more than 10 years experience, will answer your pre-sales and after-sales questions.
- 6: OEM production is available, to meet customer needs
- 7. Low MOQ (1 unit) is available.
- 8. 24 hours technical support.

BAISHUN Henan Baishun Machinery Equipment Co., Ltd.

+8618939515188 sale@goodlathe.com lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China