

CNC Heavy Duty Vertical Turret Lathe Machine Metal Cutting Lathe High Accuracy CK5112

Basic Information

. Place of Origin: Henan, China

Brand Name: **BAISHUN MACHINERY**

· Certification: CE ISO Model Number: CK5112 Minimum Order Quantity: 1 Set • Price: Negotiable

· Packaging Details: Export standard wooden case package or

Negotiation with customers

. Delivery Time: 30-35 work days

• Payment Terms: L/C, T/T, Western Union . Supply Ability: 20 Set/Sets per Month



Product Specification

• Max. Length Of Workpiece 2600

• Max. Spindle Speed (r.p.m):260 R.p.m · Machining Capacity: Medium Duty

• Spindle Bore(mm): 105 • Width Of Bed (mm): 250 Mm Spindle Motor Power(kW): • No. Of Spindles: Single

380V • Product Name: CNC Heavy Duty Vertical Turret Lathe

Machine Metal Cutting Lathe

• Max.turning Diameter: 1200mm

• Highlight: vertical turret lathe machine, CK5112,

turret lathe for sale



More Images

Voltage:







Product Description

Product Description

CNC controlling Automatic Vertical Turning Lathe

Product Overview: The Vertical CNC Lathe, also known as a Vertical Turning Center, is a powerful machine used in metalworking to precisely and efficiently turn and cut metal components. With its vertical spindle that holds and rotates the workpiece, it has gained popularity in various manufacturing industries. It excels in the production of large and heavy components like gears, turbines, and aerospace parts, especially those with a high aspect ratio.


Moreover, the CNC vertical lathe is equipped with advanced automation features, allowing for minimal human intervention. It can be programmed to perform a wide range of machining operations, including turning, drilling, boring, threading, and milling. Offering versatility, high precision, and automation, the CNC vertical lathe has become an indispensable tool in modern manufacturing processes.

The CNC Vertical lathe is a big machine used for handling large and heavy workpieces with a wide radial size and relatively smaller axial size. It's designed to process workpieces with complex shapes, such as cylindrical surfaces, end surfaces, conical surfaces, cylindrical holes, conical holes, and more. Additionally, with the help of additional tools, it can also perform operations like thread cutting, turning spherical surfaces, imitation machining, and grinding. Unlike horizontal lathes where workpieces are clamped horizontally, the vertical lathe has its main spindle axis arranged vertically, and the worktable is positioned horizontally. This arrangement makes it more convenient for clamping and aligning workpieces. Furthermore, this setup reduces the load on the spindle and bearings, enabling the vertical lathe to maintain its accuracy over long periods of operation.

Machine parameter

Model	CK518	CK5112Q	CK5112A	CK5116Q	CK5120A	CK5126A
Max. turning diameter of vertical tool rest (mm)	800	1200	1200	1600	2000	2600
Working table diameter (mm)	700	1000	1000	1400	1800	2200
Max. height of work-piece (mm)	800	1000	1000	1200	1250	1400
Max. weight of work-piece (kg)	1500	1500	3200	3200	8000	8000
Range of worktable rotation speed (rpm)	30-260	20-180	6.3-200	15-160	3.2-100	2.2-70
Feeding series	Stepless	Stepless	Stepless	Stepless	Stepless	Stepless
Range of tool rest feed (mm/min)	0.25-90	0.25-90	0.8-86	0.25-90	0.8-86	0.8-86
Cross beam travel (mm)	500	1000	650	1200	890	1090
Horizontal travel of tool rest (mm)	500	700	700	900	1115	1400
Vertical travel of tool rest (mm)	450	500	650	750	800	800
Size of section of cutter bar (mm)	30*40	30*40	30*40	30*40	30*40	30*40
Main motor power (kw)	11	15	22	15	30	30







Henan Baishun Machinery Equipment Co., Ltd.

+8618939515188

sale@goodlathe.com



e lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China