

Manual Vertical Turret Lathe CNC Controller Power Vertical Turning Center Torno

Basic Information

• Place of Origin: Henan, China

Brand Name: BAISHUN MACHINERY, BAISHUN

MACHINERY

Certification: CE/ISO9001
Model Number: CK5116
Minimum Order Quantity: 1 Set
Price: Negotiable

Packaging Details: Export standard wooden case package or

Negotiation with customers

Delivery Time: 30-35 work days

Payment Terms: L/C, T/T, Western Union
 Supply Ability: 20 Set/Sets per Month



Product Specification

 Max. Length Of Workpiece 1600 (mm):

Spindle Bore(mm): 130Width Of Bed (mm): 250 MmSpindle Motor Power(kW): 30

No. Of Spindles: SingleMax. Turned Length (mm): 1600Number Of Axes: 2

Travel (X Axis)(mm): 800 Mm
 Travel (Z Axis)(mm): 916 Mm
 Positioning Accuracy (mm): ±0.005

• Dimension(L*W*H): 2660*2665 *3528mm

Tool Post Stations: 4 Weight (KG): 12500

Product Name: Low Price Power Vertical Turning Center

....... I alla Tama



More Images









Product Description

Product Description

The CNC vertical lathe, also known as a vertical turning center, is a machine tool used for turning and cutting metal components with high precision and efficiency.

CNC vertical lathe has a vertical spindle that holds and rotates the workpiece. They are widely used in the manufacturing industry for producing large and heavy components, such as gears, turbines, and aerospace parts. They are particularly useful for turning components with a high aspect ratio.

Additionally, CNC vertical lathes are highly automated and can be programmed to perform a wide range of machining operations, such as turning, drilling, boring, threading, and milling, with minimal human intervention.

Overall, The CNC vertical lathes are a versatile and efficient machining tool that offer high precision and automation capabilities, and that is why makes them an essential component of modern manufacturing processes.

CNC Disc Drum Heavy Duty Vertical Automatic Lathe For Metal Cutting Processing

Product Description

Used High Quality CNC Vertical Lathe Machine With Good After Sales And Guarantee

The CNC vertical lathe, also known as a vertical turning center, is a machine tool used for turning and cutting metal components with high precision and efficiency.

CNC vertical lathe has a vertical spindle that holds and rotates the workpiece. They are widely used in the manufacturing industry for producing large and heavy components, such as gears, turbines, and aerospace parts. They are particularly useful for turning components with a high aspect ratio.

Additionally, CNC vertical lathes are highly automated and can be programmed to perform a wide range of machining operations, such as turning, drilling, boring, threading, and milling, with minimal human intervention.

Overall, The CNC vertical lathes are a versatile and efficient machining tool that offer high precision and automation capabilities, and that is why makes them an essential component of modern manufacturing processes.

Machine parameter

Model	CK518	CK5112C	CK5112A	CK5116Q	CK5120A	CK5126A
Max. turning diameter of vertical tool rest (mm)	800	1200	1200	1600	2000	2600
Working table diameter (mm)	700	1000	1000	1400	1800	2200
Max. height of work-piece (mm)	800	1000	1000	1200	1250	1400
Max. weight of work-piece (kg)	1500	1500	3200	3200	8000	8000
Range of worktable rotation speed (rpm)	30-260	20-180	6.3-200	15-160	3.2-100	2.2-70
Feeding series	Stepless	Stepless	Stepless	Stepless	Stepless	Stepless
Range of tool rest feed (mm/min)	0.25-90	0.25-90	0.8-86	0.25-90	0.8-86	0.8-86
Cross beam travel (mm)	500	1000	650	1200	890	1090
Horizontal travel of tool rest (mm)	500	700	700	900	1115	1400
Vertical travel of tool rest (mm)	450	500	650	750	800	800
Size of section of cutter bar (mm)	30*40	30*40	30*40	30*40	30*40	30*40
Main motor power (kw)	11	15	22	15	30	30

Vertical Lathe MachineFeature:

The table adopt high precision thrust ball rolling guideway and slide guideway in 1.6 metre of diameter.

The column cross rail adopt high strengthen and high wear-resistance Grey cast iron.

Fiction pairs of guideway in horizontal and vertical direction adopt wear-resistance grey cast iron.

Ram guideway surface of rail, side head adopt middle frequency harden rolling grind finish machining. Black chromium plane of new type for botton siation.

The rail head is designed with lead screw for horizontal and vertical transmission.

Pentagonal turret pinion plate index positioning with high strengthen and rigidity.

Lubrication of cross is supplied with oil by hand pump.



Our Services

We can provides 7x24-hour online pre-sale service, engineer follow-up order service, and logistics delivery operation service, And also we can provide installation services. In addition, with more than 10 years experience of various markets, we can help customers successfully complete a series of services from purchasing to goods Customs clearance, thereby saving times and also reducing customers' costs in all aspects.

Our advantage:

- 1: With CE, ISO certification.
- 2: Full production tracking.
- 3: Professional engineers can guarantee the highest quality.
- 4: More suppliers as alternatives, guarantee your lowest and competitive price.
- 5: Sales fstaff with more than 10 years experience, will answer your pre-sales and after-sales questions.
- 6: OEM production is available, to meet customer needs
- 7. Low MOQ (1 unit) is available.
- 8. 24 hours technical support.



Henan Baishun Machinery Equipment Co., Ltd.



+8618939515188



sale@goodlathe.com



lathemach.com