

Export standard wooden case package, or as

Henan Baishun Machinery Equipment Co., Ltd

Henan, China

BAISHUN

CK6140

Negotiation

45 work days

customers' requirement.

T/T, L/C, Western Union

50 Set/Sets per Month

ISO

1 set

Basic Information

lathemach.com

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Max. Length Of Workpiece 3000 (mm):
- Structure: Flat Bed Lathe
- Max. Spindle Speed (r.p.m):1600 R.p.m
- Machining Capacity: Heavy Duty 300 . Max. Weight Of
- Workpiece(kg): 52 • Spindle Bore(mm):
- Width Of Bed (mm): 400 Mm
- Spindle Motor Power(kW): 7.5
- No. Of Spindles: Single
- Number Of Axes:
- Travel (X Axis)(mm): 260 Mm
- Travel (Z Axis)(mm): 850 Mm

2

- Positioning Accuracy (mm): ±0.015
 - Desertability (V/V/7) (mms), 10,000











Our Product Introduction





Product Description

Fanuc Controller Flat Bed CNC Lathe Machine Automatic Metal Turning Lathe

The CNC lathe is a machine tool that is used for shaping and turning metal workpieces. It use a variety of cutting tools, such as drills, boring tools, and turning tools, to remove material from the workpiece. The machine is programmed using software that specifies the size and shape of the workpiece, as well as the cutting operations to be performed.

The workpiece is clamped in the spindle of the lathe, which rotates at high speed to create the cutting motion. As the workpiece rotates, the cutting tools move in precise patterns to remove material and shape the workpiece.

CNC lathes are highly precise and efficient machines that are used in a wide range of industries, including aerospace, automotive, and electronics manufacturing. They are capable of producing complex parts with tight tolerances and high accuracy, making them an essential tool for modern manufacturing.

1. With feeding motor and lead screw for type of direct connection, it can assure the machining precision and positioning accuracy.

2.Headstock takes symmetrical structure to make thermal deformation be even, avoiding the spindle center generates offsets. 3.Headstock adopts oil bath circulating lubrication to reduce thermal deformation;

4. Frond end of the spindle adopts three-supporting structure of two-way angular in touch with the ball bearing to improve its accuracy and enhance its rigidity;

5.Gears in head stock and guide way are processed by quenching to ensure accurate transmission and high rigidity.

Specifications	CK6140	CK6150	CK6161	CK6166	CK6180	
Max. swing over bed	400mm	500mm	610mm	660mm	800mm	
5	40011111				ooonini	
Max. workpiece length	750/1000/1500/2000/3000mm					
Spindle taper	Mohs NO.6(MT6)[Φ90 1:20(Type B)][Φ113 1:20(Type C)]					
Chuck size	C6[D8(Type B/C)]					
Spindle bore dia.	Φ52mm/[Φ80mm(Type B)][Φ105mm(Type C)]					
Range of spindle speeds 3	Independent spindle:100~1600r/min					
steps(Auto. Change gear)	21-1500r/min(62-1500 66-500 21-150)					
Tail stock center travel	150mm					
Tail stock sleeve taper	MT5					
Positioning accuracy	±0.015mm					
Repositioning accuracy	±0.006mm					
X/Z rapid traverse	4/6m/min					
Spindle motor		7.5kw	11kw			
Overall dimensions for750	2550*1550*1700mm		2550*1550*1900mm			
Overall dimensions for1000	2750*1550*1700mm		2750*1550*1900mm			
Overall dimensions for1500	3250*1550*1700mm		3250*1550*1900mm			
Overall dimensions for2000	3700*1550*1700mm		3700*1550*1900mm			
Overall dimensions for3000	4710*1550*1700mm		4710*1550*1900mm			
G.W for750(kg)	2800	2900	2850	2900	3000	
G.W for1000(kg)	2900	3000	3000	3050	3150	
G.W for1500(kg)	3150	3200	3200	3250	3350	
G.W for2000(kg)	3350	3400	3400	3450	3550	
G.W for3000(kg)	4100	4200	4250	4300	4400	

Machine Parameter

for more products please visit us on lathemach.com

Henan Baishun Machinery Equipment Co., Ltd is a professional manufacturer, which especially work for Slotting machine, Vertical lathe machine, CNC Vertical lathe

machine, CNC Horizontal lathe machine, Roll lathe machine, Gear hobbing machine, Pole erection machine, Shredder machine,etc. With 14 years experience for lathe machines, we have export our products to Peru, Brazil, Chile, Mexico, Italy, Indonesia, Sri Lanka, Russia, and Uzbekistan.ect. Our company attaches great importance to international technical exchanges and cooperation, has introduced advanced technology and craft from United States, Germany, Australia and other countries, establishes the international advanced production lines and first-class modern testing base. Welcome all friends visiting and communicating and cooperating.

Certificate:

Related Products

Our Services

Our Services

We can provides 7x24-hour online pre-sale service, engineer follow-up order service, and logistics delivery operation service, And also we can provide installation services. In addition, with more than 10 years experience of various markets, we can help customers successfully complete a series of services from purchasing to goods Customs clearance, thereby saving times and also reducing customers' costs in all aspects.

Our advantage:

- 1: With CE, ISO certification.
- 2: Full production tracking.
- 3: Professional engineers can guarantee the highest quality.
- 4: More suppliers as alternatives, guarantee your lowest and competitive price.
- 5: Sales fstaff with more than 10 years experience, will answer your pre-sales and after-sales questions.
- 6: OEM production is available, to meet customer needs
- 7. Low MOQ (1 unit) is available.
- 8. 24 hours technical support.

Contact

Welcome to contact!!

Henan Baishun Machinery Equipment Co., Ltd.						
0	+8618939515188	sale@goodlathe.com	lathemach.com			
No.65	i, Tianming Road, Jinshui I	District, Zhengzhou City, Henan	Province, China			