

# Y3150 Gear Hobbing Machine For Sale Metal

## **Basic Information**

• Price:

Place of Origin: Henan, China
Brand Name: BAISHUN
Certification: ISO9001:2008
Model Number: Y3150
Minimum Order Quantity: 1 set

Packaging Details: Standard export package

Negotiation

• Delivery Time: 55 work days

Payment Terms: T/T, L/C, Western Union
 Supply Ability: 50 Set/Sets per Month



# **Product Specification**

CNC Or Not: NormalCondition: New

• Type: Gear Hobbing Machine

• Voltage: 380V/50Hz

Dimension(L\*W\*H): 2440 X 1370 X 1800

After-sales Service Engineers Available To Service Machinery

Provided: Overseas

Name: Yk3150 Cnc Gear Hobbing Machine

Max Work Piece Diameter: 500mmMax. Module: 8mm

COLOR: Customer Required

Max Machining Width: 250mmMotor Power: 6.45KW

Machine Size: 2440\*1370\* 1800Weight: 4500KG, 4500KG



# More Images









## **Product Description**

Economic Gear Hobbing Machines Factory Direct Metal Gear Hobbing Machine For Sale

#### **Product Description**

Economic Gear Hobbing Machines Factory Direct Metal Gear Hobbing Machine For Sale

The gear hobbing machine is a specialized type of milling machine used for cutting gears, splines, and worm gears. It employs a rotating hob to cut teeth into the workpiece, producing gears of various sizes and shapes. Gear hobbing machines are widely used in the manufacturing of gears for applications such as automobiles, aerospace, and industrial machinery.

- 1. The machine is suitable for large and single production of cylindrical spur and helical gears, worm gears and sprocket.
- 2. The machine is characterized by good rigidity, high working accuracy, easy in operation and maintain.
- 3. The machine can be operated not only with forward and backward cutting, but also with axial or radial feed.
- 4. According to the special needs of users, can be raised or extended tool to expand the scope of the processing machine accuracy.
- 5. Easy in operation and maintain.

Model	Y3150	Y3180
Max.diameter of machining spur gears with external support	350mm	550m
Max. diameter of machining spur gears without external support	500mm	800mm
Dia. of worktable	520mm	650mm
Max. cutting module	8mm	10mm
Max. Processing width	250mm	300mm
Min.number of teeth processed	6	8
Max.vertical travel of tool seat	300mm	350mm
Min.turning angle	240°	240°
Max.tool loading dimensions(Dia.*L)	160*160mm	180*180mm
Dia. Of hob mandrel	22/27/32mm	22/27/32/40mm
Max. diameter of hob	160mm	180mm
Diameter of table hole	80mm	80mm
Hob spindle speed step	12 steps	12 steps
Hob spindle speed scope	50-275rpm	40-200rpm
Vertical feed range of the hob per revolution of the workpiece	0.24-4.25mm/r	0.4-4mm/r
Main motor power	4.75kw	5.5kw
Main motor speed	1430rpm	1500rpm
Machine weight	4500kg	5500kg
Machine tool dimensions (L*W*H)	2440*1370*180 0mm	2752*1490*187 0mm

#### Product photos for your reference:







#### **Our Services**

- 1. 24 Hours after sales service by E-mail or Phone.
- 2. 100% response rate.
- 3. Engineers available to service overseas.
- 4. OEM service is available
- 5. Warranty: 12 months, beyond the warranty period, all spare parts offered to you with factory price.



Henan Baishun Machinery Equipment Co., Ltd.



+8618939515188



sale@goodlathe.com



lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China