

Small Gear Hobbing Lathe Tools Y3150E

Basic Information

. Place of Origin: Henan, China Brand Name: BAISHUN · Certification: ISO9001:2008 Y3150

Model Number: Minimum Order Quantity: 1 set

• Price: Negotiation

· Packaging Details: Standard export package for Small Gear

Hobbing Machine

. Delivery Time: 55 work days

• Payment Terms: T/T, L/C, Western Union . Supply Ability: 50 Set/Sets per Month



Product Specification

• CNC Or Not: Normal Condition: New

Gear Hobbing Machine Type:

. Warranty Of Core Components:

1 Year

• Core Components: Bearing 380V/50Hz

Voltage:

 After-sales Service Engineers Available To Service Machinery Provided: Overseas, Online Support, Video Technical Support, Free Spare Parts, Field Installation,

Commissioning And Training, Field Maintenance And Repair Service

Name: Small Gear Hobbing Machine

• Max Work Piece Diameter: 500mm . Max. Module: 8mm Max Machining Width: 250mm Matar Damar C AEIZIA



More Images









Product Description

Gear Hobbing Machine Price Y3150E Small Gear Hobbing Machine For Sale

The gear hobbing machine is a specialized milling machine commonly used for cutting gears, splines, and worm gears. It uses a rotating hob to create teeth on the workpiece, producing gears of different sizes and shapes. Gear hobbing machines are widely employed in gear manufacturing for industries like automobiles, aerospace, and industrial machinery. Key Features:

- 1. Ideal for producing large quantities of cylindrical spur and helical gears, worm gears, and sprockets.
- 2. Strong and precise, ensuring accurate machining results. Easy to operate and maintain.
- 3. Can cut in both forward and backward directions, with options for axial or radial feed motion.
- 4. User-friendly operation and maintenance procedures.

Model	Y3150	Y3180
Max.diameter of machining spur gears with external support	350mm	550m
Max. diameter of machining spur gears without external support	500mm	800mm
Dia. of worktable	520mm	650mm
Max. cutting module	8mm	10mm
Max. Processing width	250mm	300mm
Min.number of teeth processed	6	8
Max.vertical travel of tool seat	300mm	350mm
Min.turning angle	240°	240°
Max.tool loading dimensions(Dia.*L)	160*160mm	180*180mm
Dia. Of hob mandrel	22/27/32mm	22/27/32/40mm
Max. diameter of hob	160mm	180mm
Diameter of table hole	80mm	80mm
Hob spindle speed step	12 steps	12 steps
Hob spindle speed scope	50-275rpm	40-200rpm
Vertical feed range of the hob per revolution of the workpiece	0.24-4.25mm/r	0.4-4mm/r
Main motor power	4.75kw	5.5kw
Main motor speed	1430rpm	1500rpm
Machine weight	4500kg	5500kg
Machine tool dimensions (L*W*H)	2440*1370*180 0mm	2752*1490*187 0mm





Henan Baishun Machinery Equipment Co., Ltd.







No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China