

China

ISO

1 Set

BAISHUN

CW61250

Negotiation

65 working days

High Precision Horizontal Lathe Machine Manufacturer Metal Turning Lathe **Tornos**

Export standard wooden case package or

Negotiation with customers

T/T, L/C, Western Union

20 Set/Sets per Month

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

• Product Name:

• Type:

Display:

• Function:

Power: Color:

• Highlight:

Horizontal Metal Turning Lathe Machine Tornos Manual Horitonal Lathe Machine CW61250 • Max.swing Over Bed: 2500mm • Max.swing Over Carriage: 2100mm • Max.weight Of Workpiece: 16000kg DRO Metal Turning Lathe Machine Tornos • Bed Width: 1100mm 22kw Customized Horizontal Lathe Machine Manufacturer, High Precision horizontal lathe machine, Horizontal Lathe



More Images









Product Description

Horizontal Metal Turning Lathe Machine Tornos Manual Horitonal Lathe Machine <u>Product Introduction:</u>

The conventional heavy-duty horizontal lathe, it suitable for high speed steel hard alloy cutting tool, various materials shaft parts, cylindrical and disk-shaped parts processing. To achieve turning cylindrical, face grooving, cutting slot, cutting off, boring and turning inside and outside the cone and other processes.

The Horizontal lathe machine is mainly suitable for cutting the workpiece inside and outside round cylindrical, cone and other rotating parts, machinable various commonly used metric, inch, module and diametral pitch thread, and broaching oil groove and keyway.

Key Features:

1. The side wall of bed is constructed with double-rib Plates, and the shape of internal ribs is of box type and bevel ribs combination. The rigidity is higher than that fo ordinary lathes. The precision is stable. And these lathes can carry out strong force cutting.

2. On apron, there is a device ,operated by a single lever, used for rapid traverse of the carriage . Spindle's braking and rotating direction change is controlled by hydraulic system, or by hand operation, all to user's choice.

3. The saddle guide way is glued by "TSF" soft belt wear resisting materials.

4. On user's demand, we can equip the lathe with automatic feeding mechanism .The top slide can be used independently for turning of short cone. In combination with longitudinal feeding, it can also turn long taper surface.













Specification:

Technic al items	63 /	0Q / CW628	0.0000	CW6111 0Q / CW6211	CW61125Q / CW62125Q		CW611 60B	CW61 160		CW61 250	
Swing diamete r over bed	630m m	800mm	800mm	1100mm	1250mm		1600m m	1600 mm	2000 mm	2500m m	
Swing diamete r over carriage /cross slide	350m m	480mm	480mm	800mm	920mm	860mm	1200m m	1200 mm	1600 mm	2100m m	
diamete r over gap/sad	CW61 63- No gap	0Q- No gap	0B- No gap		CW61125Q- -No gap						
	CW62 63- 800m m	1000m	CW628 0B- 1000m m	CW6211 0Q 1300mm	CW62125Q- -1500mm	No gap					
Max. Length of workpie ce	1500mm; 2000mm; 3000mm;4000mm; 5000mm; 6000mm; 8000mm; 10000mm; 12000mm; 14000mm; 16000mm; 18000mm; 20000mm										
Max.wei ght of workpie ce		2 tons	2.5 tons	2.5 tons	2.5 tons	6 tons	6 tons	16 tons	16 tons	16 tons	

Spindle hole diamete r	105m m	105mm	105mm	105mm	105mm	130mm	130mm	130m m	130m m	130m m
Irail	550m m	550mm	600mm	600mm	600mm	755mm	1/55mm			1100m m
Main motor power	11 kw	11 kw	11 kw	11 kw	11 kw	22 kw	22 kw	22 kw	22 kw	22 kw

Company Profile:

Henan Baishun Machinery Equipment Co., Ltd. is a professional manufacturer of machinery equipments with a long history. We can manufacturer manual kind of horizontal lathe machine; CNC lathe machine; vertical lathe machine; roll lathe machine; facing lathe machine; deep hole drilling and boring machine, Plano miller, etc. Recent years we have new products, named Pole erection machine with post hole digger, which is very suitable in digging earth & erection of Electrical Poles. This compact solution can be quite useful for Pole erection as it helps in reduction of labour and increases the number of poles erected per day thereby significantly reducing the project time drastically. More safeties are provided in this machine compare to other local pole erector machines.



(6 0


69 IA




Packing and transportation before export



Customs' feed back:



Paking&Delivery:







Our services& advantage:

Our Services

We can provides 7x24-hour online pre-sale service, engineer follow-up order service, and logistics delivery operation service. And also we can provide installation services. In addition, with more than 10 years experience of various markets, we can help customers successfully complete a

series of services from purchasing to goods Customs clearance, thereby saving times and also reducing customers' costs in all aspects.

Our advantage:

- 1: With CE, ISO certification.
- 2: Full production tracking.
- 3: Professional engineers can guarantee the highest quality.
- 4: More suppliers as alternatives, guarantee your lowest and competitive price.
- 5: Sales fstaff with more than 10 years experience, will answer your pre-sales and after-sales questions.
- 6: OEM production is available, to meet customer needs
- 7. Low MOQ (1 unit) is available.
- 8. 24 hours technical support.

Warranty period:

During warranty period (one year), if you have any parts broken because of qulity problem, we will supply to you free of charge by express.

- Out of warranty period, if you have any question, you can contact us, we will supply our best service to you as usual.
- 1. Technical support online service provided .
- 2. Technical files service provided.
- 3. Machine operation video provided
- 4. On-site training service provided.
- 5. Spare parts replacement and repair service provided.
- 6. All of the questions will be replied within 24 hour s



+8618939515188

sale@goodlathe.com 📀 lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China