



## Heavy Duty Large Horizontal Lathe Machine 1.5 Meter Cw Series Universal Lathe

Our Product Introduction

for more products please visit us on [lathemach.com](http://lathemach.com)

### Basic Information

- Place of Origin: China
- Brand Name: BAISHUN
- Certification: CE, ISO
- Model Number: CW61110Q
- Minimum Order Quantity: 1 Set
- Price: Negotiation
- Packaging Details: Export standard wooden case package or Negotiation with customers
- Delivery Time: 45 working days
- Payment Terms: T/T, L/C, Western Union
- Supply Ability: 20 Set/Sets per Month



### Product Specification

- Product Name: Cw Series Universal Lathe Heavy Duty Large Horizontal Lathe Machine 1.5 Meter
- Type: CW61110Q
- Swing Diameter Over Carriage: 780mm
- Swing Diameter Over Bed: 1100mm
- Max. Weight Of Workpiece: 2500kg
- Spindle Hole Diameter: 105mm
- Guide Rail Width: 600mm
- Key Words: Horizontal Lathe
- Highlight: **Large Horizontal Lathe Machine, 1.5 Meter Horizontal Lathe Machine**



### More Images



## Product Description

### Cw Series Universal Lathe Heavy Duty Large Horizontal Lathe Machine 1.5 Meter

#### Product Introduction:

##### Features:

The bed's side wall is made of double-rib plates, with a combination of box-type and bevel ribs for higher rigidity and stable precision. These lathes can handle strong cutting forces.

The apron is equipped with a single-lever device for rapid carriage traverse. The spindle's braking and rotation direction can be controlled hydraulically or manually, according to the user's preference.

The saddle guide way is lined with durable "TSF" soft belt wear-resistant materials.

Upon request, the lathe can be equipped with an automatic feeding mechanism. The top slide can be used independently for turning short cones, and in combination with longitudinal feeding, it can also turn long taper surfaces.

Our metal lathes are ideal for cutting the inner and outer surfaces of shafts, discs, cylinders, taper surfaces, arc surfaces, and other rotating parts. They can handle various commonly used metric, inch, module, and diametral pitch threads, as well as boring holes, threading holes, and machining non-circular curved surfaces, and more.

## HORIZONTAL LATHE MACHINE

FACTORY DIRECT SELLING/ EXCELLENT QUALITY PROFORMANCE WITH BEST PRICES



#### CW61110Q/CW62110Q Series Lathe Machine( 2.5 tons load capacity):

Swing over bed: 1100mm;

Swing over cross slide: 800mm;

Processing length: it's up to customer's requirements;

Bed width: 600mm;

Load capacity: 2.5 tons;

Spindle bore: 105mm [Optional 130mm];

Main motor power: 11kw.

#### Specification:

	CW6163	CW6180Q	CW6180B	CW61110Q / CW62110Q	CW61125Q / CW62125Q	CW61125B	CW61160B	CW61160	CW61200	CW61250
Technical items / Model	CW6163	CW6280Q	CW6280B							

Swing diameter over bed	630mm	800mm	800mm	1100mm	1250mm	1250mm	1600mm	1600mm	2000mm	2500mm
Swing diameter over carriage /cross slide	350mm	480mm	480mm	800mm	920mm	860mm	1200mm	1200mm	1600mm	2100mm
Swing diameter over gap/saddle	CW6163-No gap	CW6180Q-No gap	CW6180B-No gap	CW61110Q-No gap	CW61125Q-No gap	No gap				
	CW6263-800mm	CW6280Q-1000mm	CW6280B-1000mm	CW62110Q-1300mm	CW62125Q-1500mm					
Max. Length of workpiece	1500mm; 2000mm; 3000mm;4000mm; 5000mm; 6000mm; 8000mm; 10000mm; 12000mm; 14000mm; 16000mm; 18000mm; 20000mm									
Max.weight of workpiece	2 tons	2 tons	2.5 tons	2.5 tons	2.5 tons	6 tons	6 tons	16 tons	16 tons	16 tons
Spindle hole diameter	105mm	105mm	105mm	105mm	105mm	130mm	130mm	130mm	130mm	130mm
Guide rail width	550mm	550mm	600mm	600mm	600mm	755mm	755mm	1100mm	1100mm	1100mm
Main motor power	11 kw	11 kw	11 kw	11 kw	11 kw	22 kw	22 kw	22 kw	22 kw	22 kw



REAL SHOOTING

# PRODUCTION WORKSHOP

CAREFUL AND RIGOROUS, PRECISE ASSEMBLY, EVERY PLACE IS DELICATE  
TEEVERY SILK IS OUR DEDICATED EFFORT,



Our metal lathes are mainly suitable for cutting the workpiece inside and outside of shafts, discs and cylindrical, taper surfaces, arc surfaces and other rotating parts, machinable various commonly used metric, inch, module and diametral pitch thread, and boring holes, teaming holes and machining noncircular curved surfaces ect.

1. We are a metal lathe manufacturer, not a trading company, we can give you factory direct price, no middle company add the price, so you can receive the lowest price from us.
2. Our casting is of top quality, our foundry is also supplier of Japan and Germany famous brand company.
3. Lathe guideways are quenched! Guideway hardness is more than HRC52.
4. Quenched guideways has following advantages: higher abrasive resistance, higher precision and longer life!
5. Gears are through high frequency quenching and grinding treatment, improving the abrasive resistance and service life and reduce the noise when processing!

**We are a direct-sale lathe machine manufacturer, not a trading company, which means we can offer you the best prices.**

**Welcome get in touch with us Whatsapp: +86 18003851898**



**Henan Baishun Machinery Equipment Co., Ltd.**



+8618939515188



sale@goodlathe.com



lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China