

Horizontal Heavy Duty Lathe Machine Manual Universal Lathe Tool Guide Rail 600mm

Basic Information

Place of Origin: China
Brand Name: BAISHUN
Certification: CE,ISO

Model Number: CW61125Q,CW62125Q

• Minimum Order Quantity: 1 Set

Price: Negotiation

Packaging Details: Export standard wooden case package or

Negotiation with customers

Delivery Time: 45 working days

Payment Terms: T/T, L/C, Western Union
 Supply Ability: 20 Set/Sets per Month



Product Specification

Product Name: Manual Universal Lathe Tool Guide Rail

600mm Horizontal Heavy Duty Lathe

Machine

Type: CW61125QSwing Diameter Over Bed: 1250mmSwing Diameter Over 920mm

Carriage:

Max. Weight Of Workpiece: 3500kg
Spindle Hole Diameter: 105mm
Guide Rail Width: 600mm

Key Words: Horizontal Lathe

Highlight: Horizontal Heavy Duty Lathe Machine,

Universal Heavy Duty Lathe Machine



More Images



Product Description

Manual Universal Lathe Tool Guide Rail 600mm Horizontal Heavy Duty Lathe Machine Product Introduction:

Overview

This machine tool is designed for various turning tasks, including end faces, outer circles, inner holes, metric threads, inch threads, module threads, and diametral pitch threads of different parts. The upper tool holder can be used independently to shorten the taper of a motor vehicle, or in conjunction with longitudinal feed to lengthen the taper. Additionally, it can perform drilling, boring, and other processes. This machine tool offers high power, high speed, and strong rigidity. With hard alloy cutting tools, it can efficiently process various ferrous and non-ferrous metals.

Our lathe features a solid cast bed structure with a well-designed internal steel board layout, ensuring high rigidity. The machine is equipped with a 250 cast iron and undergoes high-frequency quenching and guide rail mill grinding processes, resulting in a stable and precise tool with strong cutting capabilities.

The sliding box has a fast and easy-to-use structure, allowing for single-handle visualization operation. The spindle and reversing shift can be controlled hydraulically or manually, giving users flexibility in their preferred control method. The machine tool rest is equipped with a single motor for turning cylinders, as well as the option to use the tool rest for longitudinal feed turning. It is suitable for processing large and medium-sized steel and non-ferrous metal parts, allowing for cylindrical turning, inner hole machining, face cutting, drilling, boring, and nesting.

The machine tool is powerful and rigid, with a wide spindle speed range suitable for strong or high-speed cutting. The spindle brake and shift can be controlled hydraulically, ensuring sensitive and reliable braking. The forced lubrication system with pressure oil in the headstock cabinet allows for easy speed conversion, and users have multiple speed options to choose from. The sliding box is designed with a security structure to prevent damage to the lathe from overloading.


HORIZONTAL LATHE MACHINE

FACTORY DIRECT SELLIING/ EXCELLENT QUALITY PROFORMANCE WITH BEST PRICES



















CW61125Q/CW62125Q Series Lathe Machine(2.5 tons load capacity):

Swing over bed: 1250mm; Swing over cross slide: 920mm;

Processing length: it's up to customer's requirements;

Bed width: 600mm; Load capacity: 2.5 tons;

Spindle bore: 105mm [Optional 130mm];

Main motor power: 11kw.

Specification:

Technic al items Model	V	CW618 0Q / CW628 0Q	V	CW6211	CW61125Q / CW62125Q	CW611 25B	CW611 60B	CW61 160	CW61 200	CW61 250
Swing diamete r over bed	630m m	800mm	800mm	1100mm	1250mm	1250m m		1600 mm	2000 mm	2500m m
Swing diamete r over carriage /cross slide	350m m	480mm	480mm	800mm	920mm	860mm	1200m m	1200 mm	1600 mm	2100m m
Swing diamete r over gap/sad dle	luab	0Q- No gap	0B- No gap		CW61125Q- -No gap	No gap				
	03-	Į0Q-	CW628 0B- 1000m m	CW6211 0Q 1300mm	CW62125Q- -1500mm					
Max. Length of workpie ce	1500mm; 2000mm; 3000mm;4000mm; 5000mm; 6000mm; 8000mm; 10000mm; 12000mm; 14000mm; 16000mm; 18000mm; 20000mm									
Max.wei ght of workpie ce	2 tons	2 tons	2.5 tons	2.5 tons	2.5 tons	6 tons	6 tons	16 tons	16 tons	16 tons
Spindle hole diamete r	105m m	105mm	105mm	105mm	105mm	130mm	130mm	130m m	130m m	130m m
Guide rail width	550m m	550mm	600mm	600mm	600mm	755mm	755mm	1100 mm	1100 mm	1100m m
Main motor power	11 kw	11 kw	11 kw	11 kw	11 kw	22 kw	22 kw	22 kw	22 kw	22 kw

REAL SHOOTING

PRODUCTION WORKSHOP

CAREFUL AND RIGOROUS, PRECISE ASSEMBLY, EVERY PLACE IS DELICA TEEVERY SILK IS OUR DEDICATED EFFORT.



Q&A:

Q1. How do I get a quote?

A: Leave a message with your purchase requirements and we'll get back to you ASAP. You can also reach us directly through Trade manager (Click Chat Now) or by phone.

Q2. Why choose our lathe machine?

A:1. Top quality at a competitive price

20 years of exporting experience

CE and ISO certified

24/7 online service (Wechat, Whatsapp, Trade manager)

One-year warranty for quality assurance

Q3. How can I select the right machines?

A: Please provide your specifications or product drawings, and we'll help you choose the most suitable machines.

Q4. What is your delivery time?

A: Generally, it will take 15 to 60 days after receiving your advance payment. The specific delivery time depends on the items and quantity of your order.

Q5. Are you a factory or a trading company?

A: We have extensive experience in manufacturing lathe machines. As a factory direct supplier, we don't involve any middlemen or companies, which allows us to offer you the best factory direct price.

Q6. Are standard accessories included in the price?

A: Yes, all our prices include the listed standard accessories.

Q7. What are your warranty terms?

A: We provide a 12-month warranty period starting from the machines' bill of landing date. If any parts are found to be defective, we'll provide replacements.

We are a direct-sale lathe machine manufacturer, not a trading company, which means we can offer you the best prices.

Welcome get in touch with us Whatsapp:+86 18003851898



Henan Baishun Machinery Equipment Co., Ltd.

+8618939515188

sale@goodlathe.com



lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China