

China

ISO

1 Set

Baishun

BK5018

Negotiation

20 working days

100Set/Sets per Month

Export standard wooden case package

Keyway CNC Vertical Slot Making Machine Automatic BK5040 BK5050 Slotting **Machine**

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms: T/T, L/C, Western Union
- Supply Ability:



Product Specification

• Name: Model:

• Automatic:

• Functioin:

• Controller:

• Power (kW):

• Weight (KG):

• Highlight:

• Voltage: • Warranty:

Machine Tool Planer Slotter Equipment BK5018 CNC Type . Max.length Of Ram: 180mm Metal Slotting PLC 380v/50hz Or As Customer Required 1 Year 3.7 2000 KG Vertical Slot Making Machine, Keyway CNC Slot Making Machine



More Images





for more products please visit us on lathemach.com

Product Description

Keyway CNC Vertical Slot Making Machine Automatic BK5040 BK5050 Slotting Machine

This CNC Slot machines are used for interpolation plane, forming surface and Keyway Etc. And can insert the inclination in the 10° Mold and other within the scope of etc. work matter, Enterprise suitable for single or small batch production.

The main performance characteristics:

1. The working table of the machine tool is provided with three different directions of feed (longitudinal, horizontal and rotary), therefore work object go through once clamping, Several surfaces in the machine tool machining

2.Hydraulic transmission mechanism with sliding pillow reciprocating motion and hydraulic feed device for working table. 3.The sliding pillow has the same speed in every stroke, and the movement speed of the ram and the working table can be adjusted

continuously.

4. Hydraulic control table have ram commutation oil for oil reversing mechanism, In addition to hydraulic and manual feed outer,

Even there single motor drive vertical, horizontal and rotary fast moving.

5.Use hydraulic feed the slotting machine, Is when the work is over turning back instantaneous feed, Therefore be better than mechanical slotting machine used drum wheel feed.

Application:

1. This machine be used for interpolation plane, forming surface and Keyway Etc. And can insert the inclination in the 10° Mold

and other within the scope of etc. work matter.

2. Enterprise suitable for single or small batch production.

Product main technical parameters:

Item	Unit	BK5018	BK5030	BK5032	BK5040
Max. length of ram	mm	180	300	320	400
Ram adjustment stroke	mm	80	300	315	315
Number of ram movements	n/min	30/120	30~150	20~80	20~80
Working desk size	mm	600*320	550*405	800*610	800*610
X direction motor torque	N.M	6	6	7.7	7.7
Z direction motor torque	N.M	6	6	7.7	7.7
Main motor power	kw	3.7	3.7	4	4
Machine weight	kg	2000	2800	3700	3700
Package dimension	mm	2200*2100*2300	2300*2200*2300	2800*2400*2500	2800*2400*2500

Machine picture:





For more detail specification please contact:



No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China