



Vertical Manual Lathe Machine Price Large Cast Iron Metal Cutting Machine

Our Product Introduction

for more products please visit us on lathemach.com

Basic Information

- Place of Origin: Henan, China
- Brand Name: Baishun
- Certification: ISO
- Model Number: C5240
- Minimum Order Quantity: 1 Set
- Price: Negotiation
- Packaging Details: Export standard wooden case package
- Delivery Time: 70 working days
- Payment Terms: T/T, L/C, Western Union
- Supply Ability: 40 Set/Sets per Month



Product Specification

- Product Name: Vertical Manual Lathe Machine Price Large Cast Iron Metal Cutting Machine
- Type: VERTICAL
- Voltage: 380V/50HZ
- Dimension(L*W*H): 6680X4600X4952mm
- Warranty: 1 Year
- CNC Or Not: Not
- Power: 55/75KW
- Max. Turning Diameter: 4000mm
- Highlight: Large Cast Iron Metal Cutting Machine, Metal Cutting Vertical Manual Lathe Machine



More Images



Product Description

C5240 Large Vertical Manual Lathe Machine Price Directly Supply Cast Iron Metal Cutting Machine



Vertical lathe is suitable for the industries of mechanical processing, can be used for inside and outside the cylinder, cone surface and face, cutting, cutting, etc.

This series machine is suitable for machining parts in all industries. On the machine cylindrical turning and boring . tapering and surfcing as well as grooving can be carried out rough and finishing.

Suitable for high-speed steel and carbide cutting tools, suitable for machining of various industries of non-ferrous metals and non-ferrous metal parts of the cylindrical surface, conical surface, end face, grooving and other rough and finishing.

Products Details

Name: Worktable

Worktable spindle has NN3000K series precision bearing, and its inner ring has taper hole, then through regulating the radial clearance of bearing, the radial accuracy of the spindle could be guaranteed. Spindle guideway adopts the high precision thrust ball bearing to ensure the face run out accuracy of the spindle. Worktable is manual 4-jaw chuck.

Main transmission is driven by the spindle AC servo motor, automatic gear change, and in this way, spindle could get stepless speed regulation among two ranges.

Main specification

Item	C5240
Work table diameter	3150 mm
Max. turning diameter of work piece	4000 mm
Max. height of work piece	1600-3200mm
Max. weight of work piece	10/20/32 T
	35000 N (right turret)
Max. cutting force of tool rest	30000 N (left turret)
Max. torque of worktable	63000 N•m
Speed changing range (high/low)	2.5-40 rpm
Tool rest feeding range(stepless)	0.25-90 mm/min
Beam travel	1250 mm
	Horizontal 2150 mm
Travel of tool rest	Vertical 1000/1250/1400/1600 mm
Beam moving speed	350mm/min
Fast moving speed of tool post	1550mm/min
Max. Swing angle of tool post	±30°
Turret dimension(WxH)	40x50 mm
Main motor power	55/75kW (variable frequency motor)
Feeding motor power	0.75kW (variable frequency motor)
Machine weight(about)	43-65T

Machine Picture:



Packaging & Shipping

Payment terms

We usually use T/T, L/C

T/T: T/T 30% in advance, the balance be paid after inspection before the delivery

Before delivery, we will send you the pictures of finished machines and welcome you to come to our factory for inspection

Way of packing

FCL&LCL export standard in 20/40feet container

FCL: Sea-worthy package, machine are fixed in container and the spare parts are packed in wooden boxes

Shipping

MSK/MSD/APL/EMC/PIL and so on

Warranty

12 months under normal use except for wearing parts

Our Services

1. 24 Hours after sales service by E-mail or Phone.
2. 100% response rate.
3. Engineers available to service overseas.
4. OEM service is available
5. Warranty: 12 months, beyond the warranty period, all spare parts offered to you with factory price.

Contact

**We are a direct-sale lathe machine manufacturer, not a trading company,
which means we can offer you the best prices.**

**Welcome get in touch with us:)
Tel: +86 18003851898**



Henan Baishun Machinery Equipment Co., Ltd.



+8618939515188



sale@goodlathe.com



lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China