

Convention Floor Lathe Flange Surface Turning Lathe Horizontal Face Lathe

Basic Information

Place of Origin: Henan, China
Brand Name: Baishun
Certification: ISO
Model Number: C6025
Minimum Order Quantity: 1 set
Price: Negotiation

Packaging Details: Export standard wooden case or negotiation

with customer.

• Delivery Time: 45 work days

Payment Terms: T/T, L/C, Western Union
 Supply Ability: 50 Set/Sets per Month



Product Specification

 Product Name: Lowest Price Of 1600Mm Turning Diameter Horizontal Cnc Facing Turning Lathe

• Max. Length Of Workpiece 1000

(mm):

• Range Of Spindle 16 - 128 R.p.m

Speed(r.p.m):

Spindle Bore(mm): 190
Max. Turned Length (mm): 2500 Mm
Spindle Motor Power(kW): 15
Voltage: 380V
Weight (KG): 10000 KG
Machine Type: C6025
Max. Turning Diameter: 2500mm
Max. Length Of Work Piece:600mm

Keyword: Facing Lathe Machine

2000mm



More Images

. Chuck Diameter:









Product Description

Product Description

Convention Floor Lathe Flange Surface Turning Lathe Horizontal Face Lathe Price

The face lathe include a large chuck or faceplate to hold the flange securely during machining, a range of cutting tools to accommodate different sizes and shapes of work piece, and controls to adjust the depth and angle of the cuts as needed, and is especially suitable for low speed high load cutting. Featuring high carrying capacity, high rigidity, optimal appearance design and easy operation, it mainly be used in turning neutral mechanical parts with a relatively large diameter, such as tire mold large diameter flange tube plate, turbine parts, end enclosure, etc. And widely applied in chemical engineering, heavy duty machining, automobile manufacturing, mining and railway equipment and aviation parts processing and manufacturing, Normally there are conventional type and CNC type for Choice.

Machine Parameter

| Item | Unit | C6010 | C6016 | C6020 | C6025 | C6030 |
|----------------------------|-------------------------------|-------|--------|-------|-------|-------|
| Max. turning diameter | mm | 1000 | 1600 | 2000 | 2500 | 3000 |
| Chuck diameter | mm | 800 | 1400 | 1600 | 2000 | 2500 |
| Max. length of work pieces | mm | 200 | 400 | 600 | 600 | 600 |
| Max weight of workpiece | Т | 1 | 2 | 3 | 3 | 5 |
| Power of main motor | kW | 11 | 11 | 15 | 15 | 22 |
| Spindle speed | r/min | 8-120 | 16-128 | 12-94 | 12-94 | 4-40 |
| Spindle diameter | mm | 190 | 200 | 200 | 200 | 300 |
| Feed way of tool rest | Infinitely variable frequency | | | | | |
| Horizontal stroke | mm | 320 | 320 | 320 | 320 | 320 |
| Longitudinal travel | mm | 500 | 800 | 900 | 1400 | 1400 |
| Weight | Т | 4 | 5 | 8 | 10 | 17 |

Company Introduction

Henan Baishun Machinery Equipment Co.,Ltd is a professional manufacturer, which especially work for Slotting machine, Vertical lathe machine, CNC Vertical lathe machine, CNC Horizontal lathe machine, Roll lathe machine, Gear hobbing machine, Pole erection machine, Shredder machine,etc. With 14 years experience for lathe machines, we have export our products to Peru, Brazil, Chile, Mexico, Italy, Indonesia, Sri Lanka, Russia, and Uzbekistan.ect.

Our company attaches great importance to international technical exchanges and cooperation, has introduced advanced technology and craft from United States, Germany, Australia and other countries, establishes the international advanced production lines and first-class modern testing base. Welcome all friends visiting and communicating and cooperating.

Contact



lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China