

Flange Surfacing Lathe Machine Large Diameter Floor Type Face Lathe Machine

Basic Information

Place of Origin: Henan, China
Brand Name: Baishun
Certification: ISO
Model Number: C6025
Minimum Order Quantity: 1 set
Price: Negotiation

Packaging Details: Export standard wooden case or negotiation

with customer.

• Delivery Time: 45 work days

Payment Terms: T/T, L/C, Western Union
 Supply Ability: 50 Set/Sets per Month



Product Specification

 Product Name: Flange Surfacing Lathe Machine Large Diameter Floor Type Face Lathe Machine

• Max. Length Of Workpiece 1000

(mm):

• Range Of Spindle 16 - 128 R.p.m

Speed(r.p.m):

Spindle Bore(mm): 190
Max. Turned Length (mm): 2500 Mm
Spindle Motor Power(kW): 15
Voltage: 380V
Weight (KG): 10000 KG
Machine Type: C6025
Max. Turning Diameter: 2500mm
Max. Length Of Work Piece:600mm

Keyword: Facing Lathe Machine

2000mm




More Images

. Chuck Diameter:









Product Description

Product Description

This kind face lathe is mainly used to process large, medium plate and cylinder workpiece such as flange, valve, gland, plate, motor cover, tire mold, etc.

This lathe can be widely applied in the production field of energy, transportation, oil, chemical industry, mining, railway, car making and so on.

- 1. This machine is mainly suitable for high-speed steel or carbide cutting tools, cast iron, steel, forgings and non-ferrous disc type rotating body metal parts machining.
- 2. To complete the cylindrical, conical, end, grooving and other machining processes, can meet part of the rough and fine turning.
- 3. All the gears are with long life and low noise.

Machine Parameter

Face Lathe Model list & Detail Specification:

Project	Unit	C6010	C6016	C6020	C6025	C6030
Maximum turning diameter	mm	1000	1600	2000	2500	3000
Chuck diameter	mm	800	1200	1600	2000	2500
Maximum length of workpiece	mm	500	400	400	700	800
Maximum weight of workpiece	ton	1	2	3	5	10
Power of main motor	kw	4 grade 11	4 grade 15	6 grade 11	6 grade 15	8 grade 18.5
Spindle speed	r/min	20-156	20-156	13-103	9-75	4-40
Spindle diameter	mm	160	180	200	240	300
Feed way of tool rest	kw	Servo Control of PLC				
Horizontal stroke	mm	500	350	350	400	500
Longitudinal stroke	mm	500	800	1000	1250	1450
Machine weight	ton	4	5	6.8	8	15

Packing&delivery

Our Services

Our Services

We can provides 7x24-hour online pre-sale service, engineer follow-up order service, and logistics delivery operation service, And also we can provide installation services. In addition, with more than 10 years experience of various markets, we can help customers successfully complete a series of services from purchasing to goods Customs clearance, thereby saving times and also reducing customers' costs in all aspects.

Our advantage:


- 1: With CE, ISO certification.
- 2: Full production tracking.
- 3: Professional engineers can guarantee the highest quality.
- 4: More suppliers as alternatives, guarantee your lowest and competitive price.
- 5: Sales fstaff with more than 10 years experience, will answer your pre-sales and after-sales questions.
- 6: OEM production is available, to meet customer needs
- 7. Low MOQ (1 unit) is available.
- 8. 24 hours technical support.

Warranty period:

During warranty period (one year), if you have any parts broken because of qulity problem,we will supply to you free of charge by express.

Out of warranty period, if you have any question, you can contact us, we will supply our best service to you as usual.

- 1. Technical support online service provided .
- 2. Technical files service provided.
- 3. Machine operation video provided
- 4. On-site training service provided.



6. All of the questions will be replied within 24 hours

Contact



Machine Parameter



Henan Baishun Machinery Equipment Co., Ltd.



+8618939515188



sale@goodlathe.com



athemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China