



## Conventional Lathe Machine Tools , Face Lathe Machine , Geared Head Engine Lathe

Our Product Introduction

for more products please visit us on lathemach.com

### Basic Information

- Place of Origin: Henan, China
- Brand Name: Baishun
- Certification: ISO
- Model Number: C6025
- Minimum Order Quantity: 1 set
- Price: Negotiation
- Packaging Details: Export standard wooden case or negotiation with customer.
- Delivery Time: 45 work days
- Payment Terms: T/T, L/C, Western Union
- Supply Ability: 50 Set/Sets per Month



### Product Specification

- Product Name: Conventional Lathe Machine Tools, Face Lathe Machine, Geared Head Engine Lathe
- Max. Length Of Workpiece (mm): 1000
- Range Of Spindle Speed(r.p.m): 16 - 128 R.p.m
- Spindle Bore(mm): 190
- Max. Turned Length (mm): 2500 Mm
- Spindle Motor Power(kW): 15
- Voltage: 380V
- Weight (KG): 10000 KG
- Machine Type: C6025
- Max. Turning Diameter: 2500mm
- Max. Length Of Work Piece:600mm
- Chuck Diameter: 2000mm
- Keyword: Facing Lathe Machine



### More Images



## Product Description

### Conventional Lathe Machine Tools, Face Lathe Machine, Geared Head Engine Lathe

High precision flange facing lathe machine C6025 is suitable for turning large and medium-sized discs, such as a variety of flanges, valve, electrical machine end cover, tire mold. It can be used in petrochemical industry, transportation, mining railway, automobile manufacturing and other machinery manufacturing industry.

This kind face lathe is mainly used to process large, medium plate and cylinder workpiece such as flange, valve, gland, plate, motor cover, tire mold, etc.

This lathe can be widely applied in the production field of energy, transportation, oil, chemical industry, mining, railway, car making and so on.

1. This machine is mainly suitable for high-speed steel or carbide cutting tools, cast iron, steel, forgings and non-ferrous disc type rotating body metal parts machining.
2. To complete the cylindrical, conical, end, grooving and other machining processes, can meet part of the rough and fine turning.
3. All the gears are with long life and low noise.



#### Face Lathe Model list & Detail Specification:

Project	Unit	C6010	C6016	C6020	C6025	C6030
Maximum turning diameter	mm	1000	1600	2000	2500	3000
Chuck diameter	mm	800	1200	1600	2000	2500
Maximum length of workpiece	mm	500	400	400	700	800
Maximum weight of workpiece	ton	1	2	3	5	10
Power of main motor	kw	4 grade 11	4 grade 15	6 grade 11	6 grade 15	8 grade 18.5
Spindle speed	r/min	20-156	20-156	13-103	9-75	4-40
Spindle diameter	mm	160	180	200	240	300
Feed way of tool rest	kw	Servo Control of PLC				
Horizontal stroke	mm	500	350	350	400	500
Longitudinal stroke	mm	500	800	1000	1250	1450
Machine weight	ton	4	5	6.8	8	15

Packing&delivery

**Our advantage:**

- 1: With CE, ISO certification.
- 2: Full production tracking.
- 3: Professional engineers can guarantee the highest quality.
- 4: More suppliers as alternatives, guarantee your lowest and competitive price.
- 5: Sales staff with more than 10 years experience, will answer your pre-sales and after-sales questions.
- 6: OEM production is available, to meet customer needs
- 7. Low MOQ (1 unit) is available.
- 8. 24 hours technical support.

**Warranty period:**

During warranty period (one year), if you have any parts broken because of quality problem, we will supply to you free of charge by express.

Out of warranty period, if you have any question, you can contact us, we will supply our best service to you as usual.

- 1. Technical support online service provided .
- 2. Technical files service provided.
- 3. Machine operation video provided
- 4. On-site training service provided.
- 5. Spare parts replacement and repair service provided.
- 6. All of the questions will be replied within 24 hours

Contact

Machine Parameter



**Henan Baishun Machinery Equipment Co., Ltd.**



+8618939515188



sale@goodlathe.com



lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China