

Horizontal Heavy Duty Cnc Face Lathe Rotary Bearing Machining Lathe Tool

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- Henan, China Baishun ISO C6025 1 set Negotiation Export standard wooden case or negotiation with customer. 45 work days T/T, L/C, Western Union



Product Specification

- Product Name:
- Horizontal Heavy Duty Cnc Face Lathe Rotary Bearing Machining Lathe Tool • Max. Length Of Workpiece 1000 (mm): Range Of Spindle 16 - 128 R.p.m Speed(r.p.m): • Spindle Bore(mm): 190 • Max. Turned Length (mm): 2500 Mm • Spindle Motor Power(kW): 15 • Voltage: 380V • Weight (KG): 10000 KG C6025

50 Set/Sets per Month

- Machine Type:
- Max. Turning Diameter: 2500mm • Max. Length Of Work Piece:600mm
- Chuck Diameter: 2000mm
- Facing Lathe Machine
- Keyword:



More Images



Product Description

Horizontal Heavy Duty Cnc Face Lathe Rotary Bearing Machining Lathe Tool

This kind face lathe is mainly used to process large, medium plate and cylinder workpiece such as flange, valve, gland, plate, motor cover, tire mold, etc.

This lathe can be widely applied in the production field of energy, transportation, oil, chemical industry, mining, railway, car making and so on.

1. This machine is mainly suitable for high-speed steel or carbide cutting tools, cast iron, steel, forgings and non-ferrous disc type rotating body metal parts machining.

2. To complete the cylindrical, conical, end, grooving and other machining processes, can meet part of the rough and fine turning.

3. All the gears are with long life and low noise.





Machine Parameter

Face Lathe Model list & Detail Specification:

Project	Unit	C6010	C6016	C6020	C6025	C6030
Maximum turning diameter	mm	1000	1600	2000	2500	3000
Chuck diameter	mm	800	1200	1600	2000	2500
Maximum length of workpiece	mm	500	400	400	700	800
Maximum weight of workpiece	ton	1	2	3	5	10
Power of main motor	kw	4 grade 11	4 grade 15	6 grade 11	6 grade 15	8 grade 18.5
Spindle speed	r/min	20-156	20-156	13-103	9-75	4-40
Spindle diameter	mm	160	180	200	240	300
Feed way of tool rest	kw	Servo Control of PLC				
Horizontal stroke	mm	500	350	350	400	500
Longitudinal stroke	mm	500	800	1000	1250	1450
Machine weight	ton	4	5	6.8	8	15

Packing&delivery

Our Services

Our Services

We can provides 7x24-hour online pre-sale service, engineer follow-up order service, and logistics delivery operation service, And also we can provide installation services. In addition, with more than 10 years experience of various markets, we can help customers successfully complete a series of services from purchasing to goods Customs clearance, thereby saving times and also reducing customers' costs in all aspects.

- 1: With CE, ISO certification.
- 2: Full production tracking.
- 3: Professional engineers can guarantee the highest quality.
- 4: More suppliers as alternatives, guarantee your lowest and competitive price.
- 5: Sales fstaff with more than 10 years experience, will answer your pre-sales and after-sales questions.
- 6: OEM production is available, to meet customer needs
- 7. Low MOQ (1 unit) is available.
- 8. 24 hours technical support.

Warranty period:

During warranty period (one year), if you have any parts broken because of qulity problem, we will supply to you free of charge by express.

- Out of warranty period, if you have any question, you can contact us, we will supply our best service to you as usual.
- 1. Technical support online service provided .
- 2. Technical files service provided.
- 3. Machine operation video provided
- 4. On-site training service provided.
- 5. Spare parts replacement and repair service provided.
- 6. All of the questions will be replied within 24 hours

Contact



+8618939515188 sale@goodlathe.com (C) lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China