

Z28-650 High Performance Tube Threading Rebar Metal Thread Rolling Machine

Basic Information

Place of Origin: China
Brand Name: BAISHUN
Certification: ISO CE
Model Number: Z28-615

Minimum Order Quantity:

Price: USD22000-35000/SET

Packaging Details: export standard wooden case

Delivery Time: within 20 days

• Payment Terms: L/C, T/T, Western Union

• Supply Ability: 50SETS/Month



Product Specification

Product Name: Rebar Metal Thread Rolling Machine

Type: Z28-615
Roller Diameter: 20-125mm
Thread Range: 0.5-15mm
Inner Diameter Of Roller 100mm

Wheel:

Roller Die: CustomizedPower: 22kw

Color: Blue And GrayDelivery: Fast Delivery

• Highlight: Rebar Tube Threading Machine,

High Performance Tube Threading Machine,

Metal Thread Rolling Machine



More Images







Product Description

Z28-650 High Performance Tube Threading Rebar Metal Thread Rolling Machine

Description:

The thread rolling machine is a multifunctional cold extrusion forming machine tool. The thread rolling machine can perform thread, straight and diagonal rolling on the workpiece in the cold state within its rolling force range; straight tooth, helical tooth and helical spline gear Rolling; straightening, diameter reduction, roller burnishing and various forming rolling. The machine has a safe and reliable electro-hydraulic execution and control system, which allows each working cycle to be selected among three modes: manual, semi-automatic and automatic.

The thread rolling machine is a machine tool that forms threads on a workpiece through pressure. It mainly achieves thread, straight thread, oblique thread and other processing by rolling the workpiece in a cold state





Technical Specification:

| Model | Z28-615 |
|--|----------------|
| Roller Diameter(mm) | 20-125 |
| Thread range(mm) | 0.5-15 |
| Inner dia.of roller wheel(mm) | 100 |
| Width of wheel(mm) | 50-200 |
| Dia.of roller wheel | 220-280 |
| Max.feeding force(kn) | 1000 |
| Rotation speed of two main axis(r/m) | Stepless |
| Hydraulic cease time regulation scope(s) | 0.1-99.9 |
| Main motor(kw) | 22 |
| Hydraulic motor(kw) | 7.5 |
| Machine size(mm) | 2650x2650x1700 |
| Machine weight(kg) | 8200 |

More Details:











Contact:



河南百顺机械设备有限公司

Henan Baishun Machinery Equipment Co., Ltd. Office Address: No. 65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China

Ms. Elena Xie

(Sales Manager)

Ph:/Whatsapp: +86 17838375098

Email: elena@goodlathe.com

Tel:+86 371-55661885



Henan Baishun Machinery Equipment Co., Ltd.



+8618939515188



sale@goodlathe.com



No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China