



Bar Thread Rolling Manufacturing Plant Thread Rolling Machine With Automatic Feeder

Our Product Introduction

for more products please visit us on lathemach.com

Basic Information

- Place of Origin: China
- Brand Name: BAISHUN
- Certification: ISO CE
- Model Number: Z28-615
- Minimum Order Quantity: 1
- Price: USD22000-35000/SET
- Packaging Details: export standard wooden case
- Delivery Time: within 20 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 50SETS/Month




Product Specification

- Product Name: Thread Rolling Machine With Automatic Feeder
- Type: Z28-615
- Roller Diameter: 20-125mm
- Thread Range: 0.5-15mm
- Inner Diameter Of Roller Wheel: 100mm
- Roller Die: Customized
- Power: 22kw
- Color: Blue And Gray
- Delivery: Fast Delivery
- Highlight: Automatic Feeder Thread Rolling Machine, Bar Thread Rolling Machine, Manufacturing Plant Thread Rolling Machine



More Images



Product Description

Bar Thread Rolling Manufacturing Plant Thread Rolling Machine With Automatic Feeder

Description:

The thread rolling machine is a multifunctional cold extrusion forming machine tool. The thread rolling machine can perform thread, straight and diagonal rolling on the workpiece in the cold state within its rolling force range; straight tooth, helical tooth and helical spline gear Rolling; straightening, diameter reduction, roller burnishing and various forming rolling. The machine has a safe and reliable electro-hydraulic execution and control system, which allows each working cycle to be selected among three modes: manual, semi-automatic and automatic.


The thread rolling machine is a machine tool that forms threads on a workpiece through pressure. It mainly achieves thread, straight thread, oblique thread and other processing by rolling the workpiece in a cold state




Technical Specification:

Model	Z28-615
Roller Diameter(mm)	20-125
Thread range(mm)	0.5-15
Inner dia.of roller wheel(mm)	100
Width of wheel(mm)	50-200
Dia.of roller wheel	220-280
Max.feeding force(kn)	1000
Rotation speed of two main axis(r/m)	Stepless
Hydraulic cease time regulation scope(s)	0.1-99.9
Main motor(kw)	22
Hydraulic motor(kw)	7.5
Machine size(mm)	2650x2650x1700
Machine weight(kg)	8200

More Details:







Contact:



河南百顺机械设备有限公司
Henan Baishun Machinery Equipment Co., Ltd.
Office Address: No. 65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China

Ms. Elena Xie
(Sales Manager)

Ph:/Whatsapp: +86 17838375098

Email: elena@goodlathe.com

Tel:+86 371-55661885



Henan Baishun Machinery Equipment Co., Ltd.

+8618939515188

sale@goodlathe.com

lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China