



## Automatic Rebar Threading Thread Screw Rolling Machine

Our Product Introduction

for more products please visit us on [lathemach.com](http://lathemach.com)

### Basic Information

- Place of Origin: China
- Brand Name: BAISHUN
- Certification: ISO CE
- Model Number: Z28-215
- Minimum Order Quantity: 1
- Price: USD8600-11000/SET
- Packaging Details: export standard wooden case
- Delivery Time: within 20 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 50SETS/Month



### Product Specification

- Product Name: Rebar Threading Thread Screw Rolling Machine
- Type: Z28-215
- Roller Diameter: 8-100mm
- Thread Range: 0.5-8mm
- Inner Diameter Of Roller Wheel: 75mm
- Roller Die: Customized
- Power: 11kw
- Color: Blue And Gray
- Delivery: Fast Delivery
- Highlight: Rebar Threading Machine,  
Automatic Rebar Threading Machine,  
Screw Rolling Rebar Threading Machine



### More Images



## Product Description

### High Quality Automatic Rebar Threading Thread Screw Rolling Machine

#### Description:

The thread rolling machine is a machine tool that forms threads on a workpiece through pressure. It mainly achieves thread, straight thread, oblique thread and other processing by rolling the workpiece in a cold state.

The thread rolling machine is a multifunctional cold extrusion forming machine tool. The thread rolling machine can perform thread, straight and diagonal rolling on the workpiece in the cold state within its rolling force range; straight tooth, helical tooth and helical spline gear Rolling; straightening, diameter reduction, roller burnishing and various forming rolling. The machine has a safe and reliable electro-hydraulic execution and control system, which allows each working cycle to be selected among three modes: manual, semi-automatic and automatic.


The thread rolling cold rolling process is an advanced non-cutting process that can effectively improve the intrinsic and surface quality of the workpiece. The radial compressive stress generated during processing can significantly improve the fatigue strength and torsional strength of the workpiece. An ideal process with high efficiency, energy saving and low consumption.




#### Technical Specification:

<b>Model</b>	<b>Z28-215</b>
Roller Diameter(mm)	8-100
Thread range(mm)	0.5-8
Inner dia.of roller wheel(mm)	75
Width of wheel(mm)	50-120
Dia.of roller wheel	170-220
Max.feeding force(kn)	300
Rotation speed of two main axis(r/m)	26;35;48;62
Hydraulic cease time regulation scope(s)	0.1-99.9
Main motor(kw)	11
Hydraulic motor(kw)	5.5
Machine size(mm)	2100x1850x1550
Machine weight(kg)	3800

#### More Details:









Contact:



**河南百顺机械设备有限公司**  
Henan Baishun Machinery Equipment Co., Ltd.  
Office Address: No. 65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China

**Ms. Elena Xie**  
(Sales Manager)

Ph:/Whatsapp: +86 17838375098

Email: [elena@goodlathe.com](mailto:elena@goodlathe.com)

Tel: +86 371-55661885



**Henan Baishun Machinery Equipment Co., Ltd.**

+8618939515188

[sale@goodlathe.com](mailto:sale@goodlathe.com)

[lathemach.com](http://lathemach.com)

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China