



CK5112 CNC Vertical Lathe with 1200mm Max Turning Diameter 1000mm Max Height and Siemens 828DD System

Our Product Introduction

for more products please visit us on lathemach.com

Basic Information

- Place of Origin: Henan, China
- Brand Name: BAISHUN MACHINERY
- Certification: CE/ISO9001
- Model Number: CK5112
- Minimum Order Quantity: 1 Set
- Price: Negotiable
- Packaging Details: Export standard wooden case package or Negotiation with customers
- Delivery Time: 30-35 work days
- Payment Terms: L/C,T/T,Western Union
- Supply Ability: 20 Set/Sets per Month



Product Specification

- Product Name: Vertical Lathe Turning
- Machine Type: CK5112
- Max. Turning Diameter(mm): 1200
- Max. Height Of Workpiece(mm): 1000
- Worktable Size(mm): 1000
- No. Of Spindles: Single
- Positioning Accuracy (mm): ± 0.005
- Voltage: 380V
- Key Words: Metal Machining
- Function: Metal Turning
- Highlight: **1200mm Max Turning Diameter Vertical Lathe, 1000mm Max Height CNC Vertical Lathe, Siemens 828DD System Vertical Turning Lathe**



More Images



Product Description

CK5112 Torno Engine Car Vertical Lathe Turning Single Column CNC Control System Lathe for Metal Machining:

China Hot sale Multi-purpose CNC Vertical Turning Lathe is suitable to process ferrous metal, nonferrous metals and partial non-metallic material, and could achieve the processing of turning of the end face, inside and outside cylindrical surface, inside and outside circular conical surface and drilling, expanding, reaming of hole. Main transmission is driven by the spindle AC servo motor, hydraulic gear change and two gears step less speed regulation. Worktable is manual 4-jaw single movement chuck.

CK5112 CNC Vertical Lathe

Main Features:

1. CNC vertical lathe, the CNC system uses Siemens 828DD system, there is a vertical tool post, the maximum machining diameter can be 800mm to 2600mm of single column vertical lathe, For CK5112 type, it is designed with the table diameter of 1000mm, and the maximum machining height is 1000mm.
2. The transmission device is a four-speed sleepless transmission, which is convenient, sensitive and reliable.
3. Set in the system, all gears use 40Cr grinding gears, which have the characteristics of high rotation accuracy and low noise.
4. The machine is suitable for high speed steel tools and carbide cutting tool processing of non-ferrous metal, black metal and nonmetal materials. On the machine can complete the following processes:Turning the inner and outer cylindrical surface of the plane; all kinds of hook face , inner and outer cone face, thread, cutting slot and cutting.

Machine parameter

| Model | CK518 | CK5112Q | CK5112A | CK5116Q | CK5120A | CK5126A |
|--|----------|----------|----------|----------|----------|----------|
| Max. turning diameter of vertical tool rest (mm) | 800 | 1200 | 1200 | 1600 | 2000 | 2600 |
| Working table diameter (mm) | 700 | 1000 | 1000 | 1400 | 1800 | 2200 |
| Max. height of work-piece (mm) | 800 | 1000 | 1000 | 1200 | 1250 | 1400 |
| Max. weight of work-piece (kg) | 1500 | 1500 | 3200 | 3200 | 8000 | 8000 |
| Range of worktable rotation speed (rpm) | 30-260 | 20-180 | 6.3-200 | 15-160 | 3.2-100 | 2.2-70 |
| Feeding series | Stepless | Stepless | Stepless | Stepless | Stepless | Stepless |
| Range of tool rest feed (mm/min) | 0.25-90 | 0.25-90 | 0.8-86 | 0.25-90 | 0.8-86 | 0.8-86 |
| Cross beam travel (mm) | 500 | 1000 | 650 | 1200 | 890 | 1090 |
| Horizontal travel of tool rest (mm) | 500 | 700 | 700 | 900 | 1115 | 1400 |
| Vertical travel of tool rest (mm) | 450 | 500 | 650 | 750 | 800 | 800 |
| Size of section of cutter bar (mm) | 30*40 | 30*40 | 30*40 | 30*40 | 30*40 | 30*40 |
| Main motor power (kw) | 11 | 15 | 22 | 15 | 30 | 30 |

Detail Machine Photo:











Shipping and Delivering:



DELIVERING

Packing and transportation before export



For more details and specifications, please contact:



河南百顺机械设备有限公司
Henan Baishun Machinery Equipment Co., Ltd.
Office Address: No. 65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China

Ms. Elena Xie
(Sales Manager)

Ph:/Whatsapp: +86 17838375098

Email: elena@goodlathe.com

Tel:+86 371-55661885



Henan Baishun Machinery Equipment Co., Ltd.

+8618939515188 sale@goodlathe.com lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China